Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
1	BRS	18	assess$$3 with vehicle$1 with (operator$ or driver$1) with performance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 16:30		
2	IS&R	2	("5207095").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 15:37		
3	IS&R	2	("5034894").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 15:37		
4	IS&R	2	("5074144").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 15:41		
5	IS&R	2	("4500868").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 15:42		
6	IS&R	2	("4933852").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 15:42		
7	IS&R	2	("4716458").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 15:43		
8	IS&R	2	("4275378").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 15:45		
9	IS&R	2	("4093039").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 15:46		
10	IS&R	2	("5150609").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 15:46		
11	IS&R	2	("4945759").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 15:46		
12	BRS	451	vehicle$1 with (operator$ or driver$1) with performance and environment$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 15:50	Truncation overflow.	
13	BRS	322	vehicle$1 with (operator$ or driver$1) with performance and environment	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 15:59		

06/01/2003, EAST Version: 1.03.0002

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
14 BRS	14	assess$3 with vehicle$1 with (operator$ or driver$1) with performance and environment	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 15:57		
15 BRS	84	vehicle$1 with operation with (operator$ or driver$1) with performance and environment	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 16:00		
16 BRS	16	vehicle$1 with operation with (operator$ or driver$1) with performance and environment with condition	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 16:01		
17 BRS	29	vehicle$1 with operation with (operator$ or driver$1) with performance and environment with (state or status or condition)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 16:02		
18 BRS	23	vehicle$1 with operation with (operator$ or driver$1) with performance and environment with (state or status or condition) not (assess$3 with (operator$ or driver$1) with performance and environment)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 16:08		
19 BRS	29	vehicle$1 with operation with performance and (operator$ or driver$1) with (state or status or condition) and environment with (state or condition) not (assess$3 with vehicle$1 with (operator$ or driver$1) with performance and environment)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 16:21		
20 BRS	32	5465079.uref.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 16:21		
21 BRS	5	assess$3 with vehicle$1 with (operator$ or driver$1) with performance and telematics	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/29 14:20		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
22	BRS	10	vehicle$1 with (operator$ or driver$1) with performance and telematics	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 17:00		
23	BRS	1	"6311128".PN.	USPAT	2003/05/28 16:39		
24	BRS	1	"6278939".PN.	USPAT	2003/05/28 16:39		
25	BRS	1	"6246932".PN.	USPAT	2003/05/28 16:39		
26	BRS	5	vehicle$1 with (operator$ or driver$1) with performance and infotainment	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 16:48		
27	BRS	18	vehicle$1 with infotainment	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 16:49		
28	BRS	146	vehicle$1 with telematics	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 17:00		
29	BRS	38	vehicle$1 with telematics with control$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 17:27		
30	BRS	11	vehicle$1 with infotainment with control$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 17:15		
31	BRS	14	vehicle$1 and infotainment with control$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 17:15		
32	BRS	3	vehicle$1 and infotainment with control$3 not (vehicle$1 with infotainment with control$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 17:16		
33	BRS	33	vehicle$1 and infotainment	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 17:16		
34	BRS	22	vehicle$1 and infotainment not (vehicle$1 with infotainment with control$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 17:16		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
BRS	12	vehicle$1 with telematics with entertainment	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 17:34		
IS&R	2	("6294989").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 17:31		
BRS	17	vehicle$1 and telematics with entertainment	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 17:29		
BRS	1248	vehicle$1 with entertainment	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 17:34		
BRS	234	vehicle$1 with entertainment with information	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 17:35		
BRS	19	vehicle$1 with entertainment with information and telematics	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 18:10		
BRS	89	(702/$.ccls.) and integrated with circuit and phase with locked with loop	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 18:12		
BRS	4	(702/$.ccls.) and (integrated with circuit and phase with locked with loop).clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 18:12		
BRS	0	assess$3 with vehicle$1 with (operator$ or driver$1) with performance with passenger$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/29 14:27		
BRS	9	assess$3 with vehicle$1 with (operator$ or driver$1) with performance and passenger$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/29 15:18		
BRS	695	701/35.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/29 14:30		
BRS	5	assess$3 with vehicle$1 with (operator$ or driver$1) with performance and traffic with control	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/29 15:19		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
47 BRS	108	vehicle$1 with (operator$ or driver$1) with performance and traffic with control traffic with control	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/29 15:20		
48 BRS	8	vehicle$1 with (operator$ or driver$1) with traffic with control	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/29 15:25		
49 BRS	7	vehicle$1 with (operator$ or driver$1) with traffic with condition	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/29 16:08		
50 BRS	2	vehicle$1 with (operator$ or driver$1) with performance with rule$1 adj base$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/29 16:16		
51 BRS	20	vehicle$1 with (operator$ or driver$1) with performance and rule$1 adj base$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/29 16:25		
52 BRS	1	vehicle$1 with (operator$ or driver$1) with performance with fuzzy with logic	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/29 16:26		
53 BRS	56	vehicle$1 with (operator$ or driver$1) with performance and fuzzy with logic	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/30 10:03		
54 BRS	41	vehicle$1 with (operator$ or driver$1) with performance and (entertainment or infotainment)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/30 10:05		
55 BRS	21	vehicle$1 with (operator$ or driver$1) with performance and (entertainment or infotainment)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/30 10:20		
56 BRS	5	vehicle$1 with (operator$ or driver$1) with performance and infotainment with control$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/30 11:50		
57 BRS	11	vehicle$1 with (operator$ or driver$1) with performance and inference with engine	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/01 11:58		
58 BRS	50	vehicle$1 with (operator$ or driver$1) with performance and master with condition$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/30 17:18		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
59 BRS	11	vehicle$1 with (operator$ or driver$1) with performance and select$3 with master with condition$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/30 15:26		
60 BRS	34	sensor with fusion with module	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/30 14:31		
61 BRS	29	(data or sensor) with fusion with module not (sensor with fusion with module)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/30 14:19		
62 BRS	14	sensor adj fusion adj module	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/30 14:33		
63 BRS	33	sensor adj fusion adj (system or module)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/30 14:33		
64 BRS	14	vehicle$1 with performance and sensor adj fusion adj (system or module)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/30 14:44		
65 BRS	21	vehicle$1 with performance and sensor adj fusion adj (system or module))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/30 15:01		
66 BRS	74	701/$.ccls. and sensor adj1 fusion	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/30 15:01		
67 BRS	25	vehicle$1 with sensor with (fused or fusing)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/30 15:34		
68 BRS	3	vehicle$1 with (condition or status or state) with sensor with (fused or fusing)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/30 16:15		
69 BRS	4	5860674.uref.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/30 15:37		
70 BRS	25	vehicle$1 with performance and sensor$1 with (fused or fusing)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/30 17:19		

#	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
71	BRS	45	vehicle$1 with sensor with fus$3 with (condition or status or state)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/01 10:29		
72	BRS	1825	340/903,431,436,53.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/01 10:42		
73	BRS	2859	340/903,431,436,53,540.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/01 10:44		
74	BRS	2191	180/168,271.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/01 10:39		
75	BRS	2624	180/168,271,272.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/01 10:39		
76	BRS	3306	340/903,431,439,436,53,540.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/01 10:40		
77	BRS	4	vehicle$1 with sensor with fuzzy	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/01 11:46		
78	BRS	1	vehicle$1 with (operators or driver$1) with performance with inference	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/01 11:58		
79	BRS	26	vehicle$1 with (operators or driver$1) with performance and inference	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/01 12:10		
80	BRS	2	"2002003251O"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/01 12:11		
81	IS&R	1	("6564127").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/01 12:11		
82	IS&R	2	("6285930").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/01 12:15		
83	IS&R	2	("6268803").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/01 12:15		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
84 IS&R	2	("5499182").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/01 12:16		
85 IS&R	2	("5074144").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/01 12:17		
86 IS&R	2	("5074144").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/01 12:19		
87 IS&R	2	("5150609").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/01 12:20		
88 IS&R	2	("5034894").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/01 12:20		
89 BRS	993	702/188.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/01 12:45		
90 BRS	1984	702/182,183,188.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/01 12:48		
91 BRS	785	702/for.155,for.163,for.170,for.171.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/01 12:48		